



Description

The AT-200 is a preparing device for skiving of Habasit belts and tapes up to a width of 200 mm and a thickness of 7 mm. The belt is clamped and stuck on a steel table. This table is adjustable in tilt in six steps; it is fed under a grinding drum on precise guides. For the drive of the unit there are two options: The device equipped with a high-torque power drill, or with a stub axle to be driven / motorized according to the desires of the customer. Feed of the table is by means of a hand wheel. The AT-200 is suitable for preparation of belts and tapes in small to medium series. The tool is not robust enough for large series fabrication.

Technical data			
Joining System	Thermofix		
Belt/tape width max.	200 mm		8 inch
Belt/tape width max. For joining angle of 75°	150 mm		6 inch
Belt/tape width max. for joining angle of 60°	90 mm		4 inch
Belt/Tape thickness max.	7 mm		0.28 inch
Dimensions (LxWxH)	385 x 405 x 185 mm	15.16 x 15.94 x 7.28	inch
Max. skiving length	90 mm		4 inch
Weight net	9.50 kg		20.94 lb

Available versions	Item number	Power supply	Power
AT-200/0	H080690160		
AT-200/8	H080690190	1ph 230V 50Hz	550W

Group GFT Tools
 Sub-Group Preparing devices (skiving tools)
 Customs tariff number 84798997



Disclaimer

Product Application Disclaimer (valid for ALL Habasit products and mentioned on all PDS)

This disclaimer is made by and on behalf of Habasit and its affiliated companies, directors, employees, agents and contractors (hereinafter collectively "HABASIT") with respect to the products referred to herein (the "Products"). SAFETY WARNINGS SHOULD BE READ CAREFULLY AND ANY RECOMMENDED SAFETY PRECAUTIONS BE FOLLOWED STRICTLY! Please refer to the Safety Warnings herein, in the Habasit catalogue as well as installation and operating manuals. All indications / information as to the application, use and performance of the Products are recommendations provided with due diligence and care, but no representations or warranties of any kind are made as to their completeness, accuracy or suitability for a particular purpose. The data provided herein are based on laboratory application with small-scale test equipment, running at standard conditions, and do not necessarily match product performance in industrial use. New knowledge and experience may lead to re-assessments and modifications within a short period of time and without prior notice.

EXCEPT AS EXPLICITLY WARRANTED BY HABASIT, WHICH WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, THE PRODUCTS ARE PROVIDED "AS IS". HABASIT DISCLAIMS ALL OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE, ALL OF WHICH ARE HEREBY EXCLUDED TO THE EXTENT ALLOWED BY APPLICABLE LAW. BECAUSE CONDITIONS OF USE IN INDUSTRIAL APPLICATION ARE OUTSIDE OF HABASIT'S CONTROL, HABASIT DOES NOT ASSUME ANY LIABILITY CONCERNING THE SUITABILITY AND PROCESS ABILITY OF THE PRODUCTS, INCLUDING INDICATIONS ON PROCESS RESULTS AND OUTPUT.